

(20129)

Medical Benefit		Effective Date: 10/01/11	Next Review Date: 05/19
Preauthorization	No	Review Dates: 11/08, 09/09, 09/10, 07/11, 07/12, 05/13, 05/14, 05/15, 05/16, 05/17, 05/18	

Preauthorization is not required.

The following protocol contains medical necessity criteria that apply for this service. The criteria are also applicable to services provided in the local Medicare Advantage operating area for those members, unless separate Medicare Advantage criteria are indicated. If the criteria are not met, reimbursement will be denied and the patient cannot be billed. Please note that payment for covered services is subject to eligibility and the limitations noted in the patient's contract at the time the services are rendered.

Populations	Interventions	Comparators	Outcomes
Individuals: <ul style="list-style-type: none"> With migraine or tension type headache 	Interventions of interest are: <ul style="list-style-type: none"> Biofeedback 	Comparators of interest are: <ul style="list-style-type: none"> Standard therapy without biofeedback 	Relevant outcomes include: <ul style="list-style-type: none"> Symptoms Functional outcomes Quality of life
Individuals: <ul style="list-style-type: none"> With cluster headache 	Interventions of interest are: <ul style="list-style-type: none"> Biofeedback 	Comparators of interest are: <ul style="list-style-type: none"> Standard therapy without biofeedback 	Relevant outcomes include: <ul style="list-style-type: none"> Symptoms Functional outcomes Quality of life

DESCRIPTION

Biofeedback is a technique intended to teach patients self-regulation of certain physiologic processes not normally considered to be under voluntary control. Biofeedback is frequently used in conjunction with other therapies (e.g., relaxation, behavioral management, medication) to reduce the severity and/or frequency of headaches.

SUMMARY OF EVIDENCE

For individuals who have migraine or tension-type headache who receive biofeedback, the evidence includes randomized controlled trials and systematic reviews of these trials. Relevant outcomes are symptoms, functional outcomes, and quality of life. The literature, which includes meta-analyses of a large number of controlled and uncontrolled studies, has suggested that this treatment can reduce the frequency and/or severity of migraine and tension-type headaches. Biofeedback, along with other psychologic and behavioral techniques (e.g., relaxation training) may be particularly useful for children, pregnant women, and other adults who are not able to take medications. The evidence is sufficient to determine that the technology results in a meaningful improvement in the net health outcome.

For individuals who have cluster headache who receive biofeedback, the evidence includes case reports and small case series. Relevant outcomes are symptoms, functional outcomes, and quality of life. No controlled trials

were identified on biofeedback for cluster headache. The evidence is insufficient to determine the effects of the technology on health outcomes.

POLICY

Biofeedback may be considered **medically necessary** as part of the overall treatment plan for migraine and tension-type headache.

Biofeedback for the treatment of cluster headache is **investigational**.

Unsupervised home use of biofeedback for treatment of headache is **not medically necessary**.

POLICY GUIDELINES

Biofeedback may require 10 to 20 office-based sessions of 30 to 60 minutes each.

MEDICARE ADVANTAGE

Biofeedback is **not medically necessary** for the treatment of migraine and tension-type headache.

BACKGROUND

Biofeedback involves the feedback of a variety of types of physiologic information not normally available to the patient, followed by a concerted effort on the part of the patient to use this feedback to help alter the physiologic process in some specific way. Biofeedback training is done either in individual or group sessions, alone or in combination with other behavioral therapies designed to teach relaxation. A typical program consists of 10 to 20 training sessions of 30 to 60 minutes each. Training sessions are performed in a quiet, nonarousing environment. Subjects are instructed to use mental techniques to affect the physiologic variable monitored, and feedback is provided for successful alteration of the physiologic parameter. This feedback may be signals such as lights or tone, verbal praise, or other auditory or visual stimuli.

The various forms of biofeedback differ mainly in the nature of the disease or disorder under treatment, the biologic variable that the subject attempts to control, and the information that is fed back to the subject. Biofeedback techniques include peripheral skin temperature feedback, blood-volume-pulse feedback (vasoconstriction and dilation), vasoconstriction training (temporalis artery), and electromyographic biofeedback; these may be used alone or in conjunction with other therapies (e.g., relaxation, behavioral management, medication). In general, electromyographic biofeedback is used to treat tension headaches. With this procedure, electrodes are attached to the temporal muscles, and the patient attempts to reduce muscle tension. Feedback on achievement of a decrease in muscle tension is provided to the subject, reinforcing those activities (behaviors or thoughts) that are effective. Thermal biofeedback, in which patients learn to increase the temperature of their fingertips through the use of imagery and relaxation, is a commonly employed technique for migraine headaches. In this technique, a temperature sensor is placed on the finger, and the subject is taught to increase peripheral vasodilation by providing feedback on skin temperature, an effect that is mediated through sympathetic activity. The combination of thermal biofeedback and relaxation training has also been used to improve migraine symptoms. The pulse amplitude recorded from the superficial temporal artery has also been used to provide feedback. Temporal pulse amplitude biofeedback has been used to treat both chronic tension-type headaches and migraine headaches.

REGULATORY STATUS

A variety of biofeedback devices are cleared for marketing by the U.S. Food and Drug Administration (FDA) through the 510(k) process. These devices are designated by the FDA as class II with special controls and are exempt from premarket notification requirements. The FDA defines a biofeedback device as “an instrument that provides a visual or auditory signal corresponding to the status of one or more of a patient’s physiological parameters (e.g., brain alpha wave activity, muscle activity, skin temperature) so that the patient can control voluntarily these physiological parameters.” FDA product code: HCC.

RELATED PROTOCOLS

Biofeedback as a Treatment of Chronic Pain

Biofeedback as a Treatment of Fecal Incontinence or Constipation

Biofeedback as a Treatment of Urinary Incontinence in Adults

Biofeedback for Miscellaneous Indications

Services that are the subject of a clinical trial do not meet our Technology Assessment Protocol criteria and are considered investigational. *For explanation of experimental and investigational, please refer to the Technology Assessment Protocol.*

It is expected that only appropriate and medically necessary services will be rendered. We reserve the right to conduct prepayment and postpayment reviews to assess the medical appropriateness of the above-referenced procedures. **Some of this protocol may not pertain to the patients you provide care to, as it may relate to products that are not available in your geographic area.**

REFERENCES

We are not responsible for the continuing viability of web site addresses that may be listed in any references below.

1. Blue Cross and Blue Shield Association Technology Evaluation Center. Biofeedback. Technology Assessment. 1995;Volume 10:Tab 25.
2. Nestoriuc Y, Martin A. Efficacy of biofeedback for migraine: a meta-analysis. *Pain*. Mar 2007;128(1-2):111-127. PMID 17084028
3. Nestoriuc Y, Rief W, Martin A. Meta-analysis of biofeedback for tension-type headache: efficacy, specificity, and treatment moderators. *J Consult Clin Psychol*. Jun 2008;76(3):379-396. PMID 18540732
4. Verhagen AP, Damen L, Berger MY, et al. Behavioral treatments of chronic tension-type headache in adults: are they beneficial? *CNS Neurosci Ther*. Summer 2009;15(2):183-205. PMID 19499626
5. Stubberud A, Varkey E, McCrory DC, et al. Biofeedback as prophylaxis for pediatric migraine: a meta-analysis. *Pediatrics*. Aug 2016;138(2). PMID 27462067
6. Eccleston C, Palermo TM, Williams AC, et al. Psychological therapies for the management of chronic and recurrent pain in children and adolescents. *Cochrane Database Syst Rev*. Apr 15 2009(2):CD003968. PMID 19370592
7. Palermo TM, Eccleston C, Lewandowski AS, et al. Randomized controlled trials of psychological therapies for management of chronic pain in children and adolescents: an updated meta-analytic review. *Pain*. Mar 2010; 148(3):387-397. PMID 19910118

8. Association for Applied Psychophysiology and Biofeedback. Standards for Performing Biofeedback. 2013; <http://www.aapb.org/i4a/pages/index.cfm?pageid=3678#II>. Accessed September 21, 2017.
9. National Institute of Neurologic Disorders and Stroke. Headache information page. n.d.; <https://www.ninds.nih.gov/Disorders/All-Disorders/Headache-Information-Page>. Accessed September 21, 2017.
10. Morey SS. Guidelines on migraine: part 4. General principles of preventive therapy. *Am Fam Physician*. Nov 15 2000;62(10):2359-2360, 2363. PMID 11126860
11. Silberstein SD. Practice parameter: evidence-based guidelines for migraine headache (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology. *Neurology*. Sep 26 2000;55(6):754-762. PMID 10993991
12. Bendtsen L, Evers S, Linde M, et al. EFNS guideline on the treatment of tension-type headache - report of an EFNS task force. *Eur J Neurol*. Nov 2010;17(11):1318-1325. PMID 20482606
13. Centers for Medicare & Medicaid Services. National Coverage Determination (NCD) for Biofeedback Therapy (30.1). n.d.; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=41&ncdver=1&bc=AgAAQAAAAAAAAAA%3d%3d&>. Accessed November 16, 2017.