

Protocol

Ovarian and Internal Iliac Vein Endovascular Occlusion as a Treatment of Pelvic Congestion Syndrome

(40118)

Medical Benefit		Effective Date: 02/01/20	Next Review Date: 07/23
Preauthorization	No	Review Dates: 09/10, 07/11, 07/12, 07/13, 07/14, 07/15, 07/16, 07/17, 07/18, 07/19, 11/19, 07/20, 07/21, 07/22	

This protocol considers this test or procedure investigational. If the physician feels this service is medically necessary, preauthorization is recommended.

The following protocol contains medical necessity criteria that apply for this service. The criteria are also applicable to services provided in the local Medicare Advantage operating area for those members, unless separate Medicare Advantage criteria are indicated. If the criteria are not met, reimbursement will be denied and the patient cannot be billed. Please note that payment for covered services is subject to eligibility and the limitations noted in the patient's contract at the time the services are rendered.

RELATED PROTOCOL

Treatment of Varicose Veins/Venous Insufficiency

Populations	Interventions	Comparators	Outcomes
Individuals: <ul style="list-style-type: none">• With pelvic congestion syndrome	Interventions of interest are: <ul style="list-style-type: none">• Ovarian and/or internal iliac vein embolization (e.g., embolization, sclerotherapy)	Comparators of interest are: <ul style="list-style-type: none">• Medical therapy (e.g., analgesics, hormonal therapy)• Surgical ovarian vein ligation	Relevant outcomes include: <ul style="list-style-type: none">• Symptoms• Treatment-related morbidity

DESCRIPTION

Pelvic congestion syndrome is characterized by chronic pelvic pain that is often aggravated by standing; diagnostic criteria for this condition are not well-defined. Endovascular occlusion (e.g., embolization, sclerotherapy) of the ovarian and internal iliac veins has been proposed as a treatment for patients who fail medical therapy.

SUMMARY OF EVIDENCE

For individuals who have pelvic congestion syndrome who receive ovarian and/or internal iliac vein endovascular occlusion, the evidence includes randomized studies, comparative studies, case series and systematic reviews. Relevant outcomes are symptoms and treatment-related morbidity. According to systematic reviews of case series data, approximately 86.6%, 88.1%, and 91.5% of patients have reported some degree of symptom relief after ovarian and/or internal iliac vein endovascular occlusion at short-term, long-term, or overall follow-up. In a randomized trial of embolization with vascular plugs or coils in patients with pelvic congestion syndrome, adverse events were reported in 22% and 10% of patients, respectively. A retrospective analysis comparing coil embolization to endoscopic resection determined that resection is associated with significantly shorter times to postprocedural pain relief and avoidance of postembolization syndrome. Moreover, definitions of pelvic congestion syndrome vary, making it challenging to define a patient population with symptoms arising from

pelvic congestion. Randomized controlled trials using well-defined eligibility criteria and relevant comparators are needed. The evidence is insufficient to determine that the technology results in an improvement in the net health outcome.

POLICY

Endovascular occlusion of the ovarian vein and internal iliac veins is considered **investigational** as a treatment of pelvic congestion syndrome.

POLICY GUIDELINES

Endovascular occlusion of the ovarian vein may require an overnight hospital stay. Endovascular occlusion of the internal iliac veins has been performed on an outpatient basis.

BACKGROUND

PELVIC CONGESTION SYNDROME

Pelvic congestion syndrome is a chronic pelvic pain syndrome of variable location and intensity, which is associated with dyspareunia and postcoital pain and aggravated by standing. The syndrome occurs during the reproductive years, and pain is often greater before or during menses. The underlying etiology is thought to be related to varices of the ovarian veins, leading to pelvic vascular congestion. Because there are many etiologies of chronic pelvic pain, the pelvic congestion syndrome is often a diagnosis of exclusion, with the identification of varices using a variety of imaging methods, such as magnetic resonance imaging, computed tomography, or contrast venography. However, the syndrome is still not well-defined, and it is unclear whether pelvic congestion syndrome causes chronic pelvic pain.¹ Although venous reflux is common, not all women with this condition experience chronic pelvic pain and, conversely, chronic pelvic pain is reported by women without pelvic congestion syndrome.

Treatment

Initial treatment of pelvic congestion syndrome includes psychotherapy and medical therapy (e.g., nonsteroidal anti-inflammatory drugs) and hormonal therapy. For patients who fail initial therapy, surgical ligation of the ovarian vein may be considered. Embolization therapy and/or sclerotherapy of the ovarian and internal iliac veins has been proposed as an alternative to surgical ovarian vein ligation. Endovascular occlusion can be performed using a variety of materials including coils, vascular plugs, glue, liquid embolic agents, and gelatin sponge or powder (Gelfoam).

REGULATORY STATUS

Ovarian and internal iliac vein embolization are surgical procedures and, as such, are not subject to regulation by the U.S. Food and Drug Administration (FDA).

Various products (e.g., coils, vascular plugs, glue, liquid embolic agents, Gelfoam) and/or delivery-assist devices would be used to embolize the vein(s), and they would be subject to FDA regulation. Several products have been cleared for marketing by the FDA through the 510(k) process for uterine fibroid embolization (e.g., Embosphere® Microspheres, Cook Incorporated Polyvinyl Alcohol Foam Embolization Particles) and/or embolization of hypervascular tumors and arteriovenous malformations (e.g., Contour™ PVA Embolization particles). Several emboli-

zation delivery systems have also been cleared via the 510(k) process for arterial and venous embolization in the peripheral vasculature featuring vascular plugs (e.g., ArtVentive Medical Group, Inc. Endoluminal Occlusion System [EOS™]) or coils (e.g., Cook Incorporated MReye® Flipper®). FDA product code: KR.D.

In November 2004, the sclerosant agent Sotradecol® (sodium tetradecyl sulfate injection) was approved by the FDA for use in the treatment of small uncomplicated varicose veins of the lower extremities that show simple dilation with competent valves (ANDA 040541).

Services that are the subject of a clinical trial do not meet our Technology Assessment and Medically Necessary Services Protocol criteria and are considered investigational. *For explanation of experimental and investigational, please refer to the Technology Assessment and Medically Necessary Services Protocol.*

It is expected that only appropriate and medically necessary services will be rendered. We reserve the right to conduct prepayment and postpayment reviews to assess the medical appropriateness of the above-referenced procedures. **Some of this protocol may not pertain to the patients you provide care to, as it may relate to products that are not available in your geographic area.**

REFERENCES

We are not responsible for the continuing viability of web site addresses that may be listed in any references below.

1. Ball E, Khan KS, Meads C. Does pelvic venous congestion syndrome exist and can it be treated?. *Acta Obstet Gynecol Scand.* May 2012;91(5):525-8. PMID 22268663
2. Tu FF, Hahn D, Steege JF. Pelvic congestion syndrome-associated pelvic pain: a systematic review of diagnosis and management. *Obstet Gynecol Surv.* May 2010;65(5):332-40. PMID 20591203
3. Brown CL, Rizer M, Alexander R, et al. Pelvic Congestion Syndrome: Systematic Review of Treatment Success. *Semin Intervent Radiol.* Mar 2018;35(1):35-40. PMID 29628614
4. Mahmoud O, Vikatmaa P, Aho P, et al. Efficacy of endovascular treatment for pelvic congestion syndrome. *J Vasc Surg Venous Lymphat Disord.* Jul 2016;4(3):355-70. PMID 27318059
5. Chung MH, Huh CY. Comparison of treatments for pelvic congestion syndrome. *Tohoku J Exp Med.* Nov 2003;201(3):131-8. PMID 14649734
6. Guirola JA, Sanchez-Ballestin M, Sierre S, et al. A Randomized Trial of Endovascular Embolization Treatment in Pelvic Congestion Syndrome: Fibered Platinum Coils versus Vascular Plugs with 1-Year Clinical Outcomes. *J Vasc Interv Radiol.* Jan 2018;29(1):45-53. PMID 29174618
7. Gavrillov SG, Sazhin A, Krasavin G, et al. Comparative analysis of the efficacy and safety of endovascular and endoscopic interventions on the gonadal veins in the treatment of pelvic congestion syndrome. *J Vasc Surg Venous Lymphat Disord.* Jan 2021;9(1):178-186. PMID 32464289
8. Liu J, Han L, Han X. The Effect of a Subsequent Pregnancy After Ovarian Vein Embolization in Patients with Infertility Caused by Pelvic Congestion Syndrome. *Acad Radiol.* Oct 2019;26(10):1373-1377. PMID 30660471
9. Hocquelet A, Le Bras Y, Balian E, et al. Evaluation of the efficacy of endovascular treatment of pelvic congestion syndrome. *Diagn Interv Imaging.* Mar 2014;95(3):301-6. PMID 24183954
10. Nasser F, Cavalcante RN, Affonso BB, et al. Safety, efficacy, and prognostic factors in endovascular treatment of pelvic congestion syndrome. *Int J Gynaecol Obstet.* Apr 2014;125(1):65-8. PMID 24486124
11. Laborda A, Medrano J, de Blas I, et al. Endovascular treatment of pelvic congestion syndrome: visual analog scale (VAS) long-term follow-up clinical evaluation in 202 patients. *Cardiovasc Intervent Radiol.* Aug 2013;36(4):1006-14. PMID 23456353

12. Gandini R, Chiocchi M, Konda D, et al. Transcatheter foam sclerotherapy of symptomatic female varicocele with sodium-tetradecyl-sulfate foam. *Cardiovasc Intervent Radiol*. Jul-Aug 2008;31(4):778-84. PMID 18172712
13. Kwon SH, Oh JH, Ko KR, et al. Transcatheter ovarian vein embolization using coils for the treatment of pelvic congestion syndrome. *Cardiovasc Intervent Radiol*. Jul-Aug 2007;30(4):655-61. PMID 17468903
14. Kim HS, Malhotra AD, Rowe PC, et al. Embolotherapy for pelvic congestion syndrome: long-term results. *J Vasc Interv Radiol*. Feb 2006;17(2 Pt 1):289-97. PMID 16517774
15. Society of Interventional Radiology (SIR). Diseases and conditions: Chronic pelvic pain (pelvic congestion syndrome) [Patient Center]. n.d.; <https://www.sirweb.org/patient-center/pelvic-venous-disease/><https://www.sirweb.org/patient-center/conditions-and-treatments/pelvic-venous-disease/>. Accessed July 15, 2021.