

(60112)

Medical Benefit		Effective Date: 01/01/00	Next Review Date: 05/21
Preauthorization	No	Review Dates: 05/07, 07/08, 05/09, 05/10, 05/11, 05/12, 05/13, 05/14, 05/15, 05/16, 05/17, 05/18, 05/19, 05/20	

This protocol considers this test or procedure investigational. If the physician feels this service is medically necessary, preauthorization is recommended.

The following protocol contains medical necessity criteria that apply for this service. The criteria are also applicable to services provided in the local Medicare Advantage operating area for those members, unless separate Medicare Advantage criteria are indicated. If the criteria are not met, reimbursement will be denied and the patient cannot be billed. Please note that payment for covered services is subject to eligibility and the limitations noted in the patient's contract at the time the services are rendered.

Populations	Interventions	Comparators	Outcomes
Individuals: <ul style="list-style-type: none"> With an indication for breast cancer screening or diagnosis 	Interventions of interest are: <ul style="list-style-type: none"> Thermography 	Comparators of interest are: <ul style="list-style-type: none"> Mammography 	Relevant outcomes include: <ul style="list-style-type: none"> Overall survival Disease-specific survival Test validity
Individuals: <ul style="list-style-type: none"> With musculoskeletal injuries 	Interventions of interest are: <ul style="list-style-type: none"> Thermography 	Comparators of interest are: <ul style="list-style-type: none"> Radiography Magnetic resonance imaging Standard care without imaging 	Relevant outcomes include: <ul style="list-style-type: none"> Test validity Symptoms Functional outcomes
Individuals: <ul style="list-style-type: none"> With temporomandibular joint disorder 	Interventions of interest are: <ul style="list-style-type: none"> Thermography 	Comparators of interest are: <ul style="list-style-type: none"> Radiography Magnetic resonance imaging Diagnostic scales Standard care without imaging 	Relevant outcomes include: <ul style="list-style-type: none"> Test validity Symptoms Functional outcomes
Individuals: <ul style="list-style-type: none"> With miscellaneous conditions (e.g., herpes zoster, pressure ulcers, temporomandibular joint disorder, diabetic foot) 	Interventions of interest are: <ul style="list-style-type: none"> Thermography 	Comparators of interest are: <ul style="list-style-type: none"> Radiography Magnetic resonance imaging Standard care without imaging 	Relevant outcomes include: <ul style="list-style-type: none"> Test validity Symptoms Functional outcomes

DESCRIPTION

Thermography is a noninvasive imaging technique that measures temperature distribution in organs and tissues. The visual display of this temperature information is known as a thermogram. Thermography has been proposed as a diagnostic tool for treatment planning and for evaluation of treatment effects for a variety of conditions.

SUMMARY OF EVIDENCE

For individuals who have an indication for breast cancer screening or diagnosis who receive thermography, the evidence includes diagnostic accuracy studies and systematic reviews. The relevant outcomes are overall survival, disease-specific survival, and test validity. Using histopathologic findings as to the reference standard, a series of systematic reviews of studies have evaluated the accuracy of thermography to screen and/or diagnose breast cancer and reported wide ranges of sensitivities and specificities. To date, no study has demonstrated whether thermography is sufficiently accurate to replace or supplement mammography for breast cancer diagnosis. Moreover, there are no studies on the impact of thermography on patient management or health outcomes for patients with breast cancer. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have musculoskeletal injuries who receive thermography, the evidence includes diagnostic accuracy studies, a longitudinal prospective study, and a systematic review. The relevant outcomes are test validity, symptoms, and functional outcomes. A systematic review of studies on thermography for diagnosing musculoskeletal injuries found moderate levels of accuracy compared with other diagnostic imaging tests. There is a lack of a consistent reference standard. This evidence does not permit conclusions as to whether thermography is sufficiently accurate to replace or supplement standard testing. Moreover, there are no high-quality or randomized studies on the impact of thermography on patient management or health outcomes for patients with musculoskeletal injuries. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have temporomandibular joint disorder who receive thermography, the evidence includes a systematic review. The relevant outcomes are test validity, symptoms, and functional outcomes. A systematic review of studies on thermography for diagnosing temporomandibular joint disorder found a wide variation in accuracy compared to other diagnostics. There is a lack of a consistent reference standard. The evidence does not permit conclusions as to whether thermography is sufficiently accurate to replace or supplement standard testing. Moreover, there are no studies on the impact of thermography on patient management or health outcomes for patients with the temporomandibular joint disorder. The evidence is insufficient to determine the effects of the technology on health outcomes.

For individuals who have miscellaneous conditions (e.g., herpes zoster, pressure ulcers, diabetic foot) who receive thermography, the evidence includes diagnostic accuracy studies. The relevant outcomes are test validity, symptoms, and functional outcomes. There are one or two preliminary studies on each of these potential indications for thermography. Most studies assessed temperature gradients or the association between temperature differences and the clinical condition. Due to the small number of studies for each indication, diagnostic accuracy could not adequately be evaluated. The clinical utility of thermography for any of these miscellaneous conditions has not been investigated in studies considered. The evidence is insufficient to determine the effects of the technology on health outcomes.

POLICY

The use of all forms of thermography is considered **investigational**.

BACKGROUND

Interpretation of the color patterns is thought to assist in the diagnosis of many disorders such as complex regional pain syndrome (previously known as reflex sympathetic dystrophy), breast cancer, Raynaud phenomenon, digital artery vasospasm in hand-arm vibration syndrome, peripheral nerve damage following trauma, im-

paired spermatogenesis in infertile men, degree of burns, deep vein thrombosis, gastric cancer, tear-film layer stability in dry-eye syndrome, Frey syndrome, headaches, lower back pain, and vertebral subluxation.

Infrared radiation from the skin or organ tissue reveals temperature variations by producing brightly colored patterns on a liquid crystal display. Thermography involves the use of an infrared scanning device and can include various types of telethermographic infrared detector images and heat-sensitive cholesteric liquid crystal systems.

Thermography may also assist in treatment planning and procedure guidance by accomplishing the following tasks: identifying restricted areas of perfusion in coronary artery bypass grafting, identifying unstable atherosclerotic plaques, assessing response to methylprednisone in rheumatoid arthritis, and locating high undescended testicles.

REGULATORY STATUS

A number of thermographic devices have been cleared for marketing by the Food and Drug Administration through the 510(k) process. Food and Drug Administration product codes: LHQ, FXN. Devices with product code LHQ may only be marketed for adjunct use. Devices with product code FXN do not provide a diagnosis or therapy. Examples of these devices are shown in Table 1.

Table 1. Thermography Devices Cleared by the Food and Drug Administration

Device Name	Manufacturer	Clearance Date	510(K) No.
Infrared Sciences Breastscan IR System	Infrared Sciences	Feb 2004	K032350
Telethermographic Camera, Series A, E, S, and P	FLIR Systems	Mar 2004	K033967
Notouch Breastscan	UE Lifesciences	Feb 2012	K113259
WoundVision Scout	WoundVision	Dec 2013	K131596
AlfaSight 9000 Thermographic System	Alfa Thermodiagnostics	Apr 2015	K150457
FirstSense Breast Exam®	First Sense Medical	Jun 2016	K160573
Sentinel BreastScan II System	First Sense Medical	Jan 2017	K162767
InTouchThermal Camera	InTouch Technologies	Feb 2019	K181716

RELATED PROTOCOLS

Scintimammography and Gamma Imaging of the Breast and Axilla

Temporomandibular Joint Disorder

Services that are the subject of a clinical trial do not meet our Technology Assessment and Medically Necessary Services Protocol criteria and are considered investigational. *For explanation of experimental and investigational, please refer to the Technology Assessment and Medically Necessary Services Protocol.*

It is expected that only appropriate and medically necessary services will be rendered. We reserve the right to conduct prepayment and postpayment reviews to assess the medical appropriateness of the above-referenced procedures. **Some of this protocol may not pertain to the patients you provide care to, as it may relate to products that are not available in your geographic area.**

REFERENCES

We are not responsible for the continuing viability of web site addresses that may be listed in any references below.

1. Vreugdenburg TD, Willis CD, Mundy L, et al. A systematic review of elastography, electrical impedance scanning, and digital infrared thermography for breast cancer screening and diagnosis. *Breast Cancer Res Treat.* Feb 2013;137(3):665-676. PMID 23288346
2. Fitzgerald A, Berentson-Shaw J. Thermography as a screening and diagnostic tool: a systematic review. *N Z Med J.* Mar 9 2012;125(1351):80-91. PMID 22426613
3. Morales-Cervantes, A, Kolosovas-Machuca, ES, Guevara, E, Maruris Reducindo, MM, Bello Hernández, AB, Ramos García, M, González, FJ. An automated method for the evaluation of breast cancer using infrared thermography. *EXCLI J.* 2018 Dec 20;17:989-998. PMID 30564079
4. Neal, CH, Flynt, KA, Jeffries, DO, Helvie, MA. Breast Imaging Outcomes following Abnormal Thermography. *Acad Radiol.* 2018 Mar;25(3):273-278. PMID 29275941
5. Omranipour R, Kazemian A, Alipour S, et al. Comparison of the accuracy of thermography and mammography in the detection of breast cancer. *Breast Care (Basel).* Aug 2016;11(4):260-264. PMID 27721713
6. Rassiwala M, Mathur P, Mathur R, et al. Evaluation of digital infra-red thermal imaging as an adjunctive screening method for breast carcinoma: a pilot study. *Int J Surg.* Dec 2014;12(12):1439-1443. PMID 25448668
7. Sanchis-Sanchez E, Vergara-Hernandez C, Cibrian RM, et al. Infrared thermal imaging in the diagnosis of musculoskeletal injuries: a systematic review and meta-analysis. *AJR Am J Roentgenol.* Oct 2014;203(4):875-882. PMID 25247955
8. Côrte, AA, Pedrinelli, AA, Marttos, AA, Souza, II, Grava, JJ, José Hernandez, AA. Infrared thermography study as a complementary method of screening and prevention of muscle injuries: pilot study. *BMJ Open Sport Exerc Med.* 2019 Jan 29;5(1). PMID 30687515
9. de Melo, DD, Bento, PP, Peixoto, LL, Martins, SS, Martins, CC. Is infrared thermography effective in the diagnosis of temporomandibular disorders? A systematic review. *Oral Surg Oral Med Oral Pathol Oral Radiol.* 2018 Nov 30;127(2). PMID 30482738
10. Han SS, Jung CH, Lee SC, et al. Does skin temperature difference as measured by infrared thermography within 6 months of acute herpes zoster infection correlate with pain level? *Skin Res Technol.* May 2010;16(2):198-201. PMID 20456100
11. Park J, Jang WS, Park KY, et al. Thermography as a predictor of postherpetic neuralgia in acute herpes zoster patients: a preliminary study. *Skin Res Technol.* Feb 2012;18(1):88-93. PMID 21605168
12. Romano CL, Logoluso N, Dell'Oro F, et al. Telethermographic findings after uncomplicated and septic total knee replacement. *Knee.* Jun 2012;19(3):193-197. PMID 21441031
13. Oliveira AL, Moore Z, T OC, et al. Accuracy of ultrasound, thermography and subepidermal moisture in predicting pressure ulcers: a systematic review. *J Wound Care.* May 02 2017;26(5):199-215. PMID 28475447
14. Nakagami G, Sanada H, Iizaka S, et al. Predicting delayed pressure ulcer healing using thermography: a prospective cohort study. *J Wound Care.* Nov 2010;19(11):465-466, 468, 470 passim. PMID 21135794
15. Wu CL, Yu KL, Chuang HY, et al. The application of infrared thermography in the assessment of patients with coccygodynia before and after manual therapy combined with diathermy. *J Manipulative Physiol Ther.* May 2009;32(4):287-293. PMID 19447265
16. Hara Y, Shiraishi A, Yamaguchi M, et al. Evaluation of allergic conjunctivitis by thermography. *Ophthalmic Res.* Mar 5 2014;51(3):161-166. PMID 24603108
17. Singer AJ, Relan P, Beto L, et al. Infrared thermal imaging has the potential to reduce unnecessary surgery and delays to necessary surgery in burn patients. *J Burn Care Res.* Nov/Dec 2016;37(6):350-355. PMID 26720102

18. Martínez-Jiménez, MM, Ramirez-GarciaLuna, JJ, Kolosovas-Machuca, EE, Drager, JJ, González, FF. Development and validation of an algorithm to predict the treatment modality of burn wounds using thermographic scans: Prospective cohort study. *PLoS ONE*, 2018 Nov 15;13(11). PMID 30427892
19. Dong F, Tao C, Wu J, et al. Detection of cervical lymph node metastasis from oral cavity cancer using a non-radiating, noninvasive digital infrared thermal imaging system. *Sci Rep*. May 8 2018;8(1):7219. PMID 29739969
20. Agazzi A, Fadanelli G, Vittadello F, et al. Reliability of LoSCAT score for activity and tissue damage assessment in a large cohort of patients with Juvenile Localized Scleroderma. *Pediatr Rheumatol Online J*. Jun 18 2018; 16(1):37. PMID 29914516
21. Ranosz-Janicka, II, Lis-Święty, AA, Skrzypek-Salamon, AA, Brzezińska-Wcisło, LL. Detecting and quantifying activity/inflammation in localized scleroderma with thermal imaging. *Skin Res Technol*, 2018 Jul 22;25(2). PMID 30030915
22. Cruz-Segura, AA, Cruz-Domínguez, MM, Jara, LL, Miliar-García, NANA, Hernández-Soler, AA, Grajeda-López, PP, Martínez-Bencomo, MM, Montes-Cortés, DD. Early Detection of Vascular Obstruction in Microvascular Flaps Using a Thermographic Camera. *J Reconstr Microsurg*, 2019 May 9. PMID 31067581
23. Unger, MM, Markfort, MM, Halama, DD, Chalopin, CC. Automatic detection of perforator vessels using infrared thermography in reconstructive surgery. *Int J Comput Assist Radiol Surg*, 2018 Dec 7;14(3). PMID 30519870
24. Chen, RR, Huang, ZZ, Chen, WW, Ou, ZZ, Li, SS, Wang, JJ. Value of a smartphone-compatible thermal imaging camera in the detection of peroneal artery perforators: Comparative study with computed tomography angiography. *Head Neck*, 2019 Jan 13;41(5). PMID 30636085
25. Li, DD, Dewan, AA, Xia, FF, Khosravi, HH, Joyce, CC, Mostaghimi, AA. The ALT-70 predictive model outperforms thermal imaging for the diagnosis of lower extremity cellulitis: A prospective evaluation. *J. Am. Acad. Dermatol.*, 2018 Jul 14;79(6). PMID 30003987
26. Al Shakarchi, JJ, Inston, NN, Dabare, DD, Newman, JJ, Garnham, AA, Hobbs, SS, Wall, MM. Pilot study on the use of infrared thermal imaging to predict infrainguinal bypass outcome in the immediate post-operative period. *Vascular*, 2019 May 9;1708538119847391. PMID 31067207
27. Magalhaes, CC, Vardasca, RR, Rebelo, MM, Valenca-Filipe, RR, Ribeiro, MM, Mendes, JJ. Distinguishing melanocytic nevi from melanomas using static and dynamic infrared thermal imaging. *J Eur Acad Dermatol Venereol*, 2019 Apr 12. PMID 30974494
28. Anzengruber, FF, Alotaibi, FF, Kaufmann, LL, Ghosh, AA, Oswald, MM, Maul, JJ, Meier, BB, French, LL, Bonmarin, MM, Navarini, AA. Thermography: High sensitivity and specificity diagnosing contact dermatitis in patch testing. *Allergol Int*, 2019 Jan 2;68(2). PMID 30598404
29. Jones B, Hassan I, Tsuyuki RT, et al. Hot joints: myth or reality? A thermographic joint assessment of inflammatory arthritis patients. *Clin Rheumatol*. Apr 20 2018. PMID 29679167
30. Gatt A, Falzon O, Cassar K, et al. The application of medical thermography to discriminate neuroischemic toe ulceration in the diabetic foot. *Int J Low Extrem Wounds*. Jun 2018;17(2):102-105. PMID 29947290
31. Gatt A, Falzon O, Cassar K, et al. Establishing differences in thermographic patterns between the various complications in diabetic foot disease. *Int J Endocrinol*. Mar 12 2018;2018:9808295. PMID 29721019
32. Balbinot LF, Robinson CC, Achaval M, et al. Repeatability of infrared plantar thermography in diabetes patients: a pilot study. *J Diabetes Sci Technol*. Sep 2013;7(5):1130-1137. PMID 24124938
33. van Doremalen, RR, van Netten, JJ, van Baal, JJ, Vollenbroek-Hutten, MM, van der Heijden, FF. Validation of low-cost smartphone-based thermal camera for diabetic foot assessment. *Diabetes Res. Clin. Pract.*, 2019 Feb 10;149:132-139. PMID 30738090
34. Hazenberg CE, van Netten JJ, van Baal SG, et al. Assessment of signs of foot infection in diabetes patients using photographic foot imaging and infrared thermography. *Diabetes Technol Ther*. Jun 2014;16(6):370-377. PMID 24690146

35. Sardanelli F, Aase HS, Alvarez M, et al. Position paper on screening for breast cancer by the European Society of Breast Imaging (EUSOBI) and 30 national breast radiology bodies from Austria, Belgium, Bosnia and Herzegovina, Bulgaria, Croatia, Czech Republic, Denmark, Estonia, Finland, France, Germany, Greece, Hungary, Iceland, Ireland, Italy, Israel, Lithuania, Moldova, The Netherlands, Norway, Poland, Portugal, Romania, Serbia, Slovakia, Spain, Sweden, Switzerland and Turkey. *Eur Radiol.* Jul 2017;27(7):2737-2743. PMID 27807699
36. Qaseem, A, Lin, JS, Mustafa, RA, Horwitch, CA, Wilt, TJ. Screening for Breast Cancer in Average-Risk Women: A Guidance Statement From the American College of Physicians. *Ann. Intern. Med.*, 2019 Apr 9. PMID 30959525
37. Mainiero, MB, Moy, L, Baron, P, Didwania, AD, diFlorio, RM, Green, ED, Heller, SL, Holbrook, AI, Lee, SJ, Lewin, AA, Lourenco, AP, Nance, KJ, Niell, BL, Slanetz, PJ, Stuckey, AR, Vincoff, NS, Weinstein, SP, Yepes, MM, Newell, MS. ACR Appropriateness Criteria® Breast Cancer Screening. *J Am Coll Radiol*, 2017 Nov 6;14(11S). PMID 29101979
38. National Comprehensive Cancer Network (NCCN). NCCN Clinical Practice Guidelines in Oncology: Breast Cancer Screening and Diagnosis. Version 1.2019. 2019; https://www.nccn.org/professionals/physician_gls/pdf/breast-screening.pdf. Accessed July 22, 2019.
39. U.S. Preventive Services Task Force. Breast Cancer: Screening. 2016; <https://www.uspreventiveservicestaskforce.org/Page/Document/UpdateSummaryFinal/breast-cancer-screening1>. Accessed July 22, 2019.
40. Centers for Medicare & Medicaid Services (CMS). National Coverage Determination for Thermography (220.11). 1992; <https://www.cms.gov/medicare-coverage-database/details/ncd-details.aspx?NCDId=164&ncdver=1&DocID=220.11>. Accessed July 22, 2019.